


## MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

## INFRASTRUCTURE DETAILS

This Annexure to be verify at time of inspection by assessors

ALL SUPPORTING DOCUMENT POINT WISE IN CLEAR VISBLE MUST BE UPLOAD ON WEB SITE

Sr. No.	Particulars to be verified	Details on College Website	Adequate/ Inadequate
	<b>College</b>		
1	(All document must be available on web site ) <b>Land details:</b> Total land, owner, unitary or not, NA of all land, 7/12 extracts of all land ( <b>Applicable only to Private Colleges</b> ). (Verify land documents & Government permissions documents are uploaded on College Website. No Land/ Construction documents shall be submitted to the University. Only deficit information to be pointed out to the University)	Yes	Adequate
2	<b>Total constructed area of college building Attached Completion Certificate with Map</b>		
	<b>(I) Administrative Section:</b> Total Area <u>5000 sq.ft</u> (which includes) Principal Room, P A. Room, Reception cum Visitors lounge, Meeting hall, Account section, Record and Central store etc.	Yes	Adequate
	<b>(II) Lecture Halls:</b> a) Total No. of Lecture Halls <u>04</u> b) IT enabled, Audio / Video teaching Aids <u>Yes</u> c) Total area for lecture Halls <u>4600 sq.ft</u>	Yes	Adequate
	<b>(III) Seminar or Conference or Examination Hall for nursing :</b> a) Total Area <u>1000 Sq.ft</u> . b) Total Seating Capacity <u>25</u> c) Audio / Video System and Other Facilities <u>YES</u>	Yes	Adequate
	<b>(IV) Library:- (Evidences to be attached)</b> a) Total Area <u>10000 sq.ft</u> . Total No. of Books <u>720</u> <u>700</u> Distribution of books <u>YES</u> Capacity of Reading Hall :-for Students <u>100</u> for Teachers <u>20</u> No. of Scientific Journals ----- No. of News Papers/Research Journals --  Photo Copier Machine <u>YES</u> Drinking water & Washrooms <u>YES</u> b) Digital Library : No. of Computers <u>12</u> Internet Facility <u>YES</u> Speed:-	Yes	Adequate
	<b>(V) Teaching Departments:</b> There shall be Five Teaching Departments as per MSR No. of departments <u>5</u> Departmental Area, No. of Books/ Charts / Models / Specimens (dry and wet) / Museum in each department information to be uploaded on college website.	Yes	Adequate
	<b>(VI) Laboratories :-</b> <b>Laboratories : As per MSR (12000 Sq.ft.)</b> Nursing Foundation and Medical Surgical Nursing Lab (1500 Sq ft.) - <u>2000</u> CHN (900 Sq ft.), Nutrition (900Sq.ft.) - <u>2000</u> OBG and Paediatric - <u>2000</u> (900Sq.ft.), Pre-Clinical - <u>2000</u> Science (900Sq.ft.), Advanced Nursing Skill Lab (900 Sq ft.), - <u>1000</u> Computer Lab (1500Sq.ft.), with 1.5 computer as per Intake capacity, AV Aids, well Equipped Lab must have Mannequins, Articles & Beds as per MSR & INC Norms	Yes	Adequate




परिचर्या विज्ञान संस्था, य.च.स्मृती रुग्णालय  
पिंपरी चिंचोड महानगरपालिका, पिंपरी-१८.

प्रकार्य

<p><b>(VII) Auditorium:- (As per MSR)</b> Auditorium should be spacious enough to accommodate at least double the sanctioned/actual strength of students, so that it can be utilized for hosting functions of the college, educational conferences/ workshops, examinations etc. It should have proper stage with green room facilities. It should be well – ventilated and have proper lighting system. There should be arrangements for the use of all kinds of basic and advanced audio-visual aids.</p> <p style="text-align: center;"><b>OR</b></p> <p><b>Multipurpose Hall:- 4000 sq. ft.</b> College of Nursing should have own multipurpose hall</p>	Yes	Adequate
--	-----	----------

	<p><b>(VIII) Canteen and Kitchen Facility:- attached certificate</b> [Note: Verify Canteen Facility &amp; Hygiene is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]</p>	Yes	Adequate
	<p><b>(IX) Common Rooms:</b> Is separate common rooms for boys and girls available (Specify seating capacity) – Total 4 Rooms – <b>1600 sq. ft.</b></p>	Yes	Adequate
3	<p><b>University Examination Infrastructure:</b> Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard – 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for vehicle, Guest house facility</p>	NA	NA
4	<p><b>Other facilities:</b> Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility</p>	Yes	Adequate
5	<p><b>Hostel facility:</b> Boys (UG &amp; PG), Girls (UG &amp; PG), Interns, Residents, Warden/ Rector, Hygiene, Vending Machine etc.</p>	Yes	Adequate
<b>Hospital attach Relevant Document on web site</b>			
6	<p><b>Hospital Details</b></p>	<b>Details on College Website</b>	<b>Adequate/ Inadequate</b>
	Name of the Hospital : Yashwantrao Chavan Memorial Hospital	Yes	Adequate
	Address:- Sant Tukaram Nagar Pimpri-18		
	Telephone No. :- 02067332200		
	Bed Strength :- <b>750</b>		
	Distance of Hospital from the College to which it is attached (in kms) <b>0 km</b>	<b>0 km</b>	Adequate
	Number of beds registered as per BNH Act (attach certificate on web site )	Yes	Adequate
7	<p><b>I.Total constructed area of Hospital Building as per MSR attach completion certificate and blue print (45649 Sq.mtr.)</b> Whether the Hospital is Owned by the College</p>	Yes	Adequate
	<p><b>II. Hospital Administration Block as per MSR</b> (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc )</p>	Yes	Adequate
	<p><b>III. Out-Patient Departments (OPD) as per MSR</b> Total Area of OPD Complex <b>150000 Sq.ft.</b> No. of OPD's <b>23</b> Facilities shall be as per MSR &amp; all details shall be on college website.</p>	Yes	Adequate
	<p><b>IV. In Patient Departments (IPD) as per MSR</b> Total Area of IPD Complex <b>300000 Sq.ft.</b> No. of IPD Departments <b>10</b> Bed Distribution..... Facilities shall be as per MSR &amp; all details shall be on College website.</p>	Yes	Adequate
	<p><b>V. Operation Theatres Block as per MSR</b> Total Area of OT Block <b>20000 sq.ft.</b> No. Of OTs available <b>11</b> Facilities shall be as per MSR &amp; all details shall be on college website.</p>	Yes	Adequate
	<p><b>VI. Casualty Facilities</b> State Government Permission Letter attach copy on web site</p>	Yes	Adequate



परिचर्या विज्ञान संस्था, य.च.स्मृती रुग्णालय  
पिंपरी, पुणे महानगरपालिका  
पृ-१८


<b>VII. Central Clinical Laboratory details</b> (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes	Adequate
<b>VIII. Radiology or Sonography Section:- :-</b> (all Relevant information on hospital letter head to be uploaded on web site ) Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Adequate
<b>IX. Labor Room :-</b> Average Deliveries conducted annually/Monthly/ Daily as per <b>Birth record</b> maintained by hospital:- (information to be available on web site)	Yes	Adequate

### BASIC DETAILS ABOUT INFRASTRUCTURE CHECK LIST

PARTICULAR TO BE VERIFY BY ASSESOR	YES / NO	Remark
Certified Copy of Location Of College Building Address by Government authority (Search Report) to be <b>uploaded at website</b>		In Process
Certified Copy of Location Of Hostel Building Addressed by Government authority (Search Report) to be <b>uploaded on website</b>	Yes	
Is Separate College Building Not Available { Attach resolution of Trust /owner for Area Allocation } <b>to be uploaded on website</b>	Yes	
Is Separate Hostel Building Available { Attach resolution of Trust /owner for Area Allocation} <b>to be uploaded at website</b>	Yes	
Authorized Building Plan approved by Competent Authority <b>to be uploaded at website</b>	Yes	
Availability of Building Completion (College / Hostel ) Certificate by Competent Authority <b>to be uploaded at website</b>	Yes	
Lease or Rent Agreement of College if Required <b>to be uploaded at website</b>	NA	
Provision Of Fire Safety Measure as per standard norms of Government	Yes	
<b>Fire Safety Certificate for College , Hostel And Hospital to be uploaded at website</b>	Yes	
General Student Safety Measures done in Building as per norms	Yes	
<b>Provision for facility Physically Challenged Students</b>	Yes	
<b>OTHER INFRASTRUCTURAL PROVISIONS</b>	<b>YES/NO</b>	<b>REMARK</b>
<b>Playground</b> (Playground should be spacious for outdoor sports like volleyball, football, badminton and for athletics)	Yes	
Provision for Physical Teacher for Student in College And Hostel	Yes	
<b>Garage</b> (Garage should accommodate a <b>50</b> seated vehicle)	Yes	
<b>Gymnasium Facility</b> to be uploaded on website	Yes	

Any Other Remarks ( Please Specify ) :-

Here by I declare all relevant document uploaded are clear and visible on web site are true as per my best knowledge:-



*(Signature)*  
प्राचार्य

परिचर्या विज्ञान संस्था, य.च.स्मृती रुग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८

पुणे गृहनिर्माण व क्षेत्रविकास मंडळ

(म्हाडाचा घटक)

HOME HOUSING AND  
AREA DEVELOPMENT BOARD

(A Unit of MHADA)

म्हाडा  
MHADA



गृहनिर्माण भवन, आगरकरनगर, पुणे - ४११००१.

दूरध्वनी : 26128856, 26121830, 26126381, 26128068, 26128082 फॅक्स : 26123614

जा.क्र./पु.मं/का.अ२/पिंपरी/

दिनांक ३१/१०/१८

२०१८

प्रति,

मा. सहाय्यक आयुक्त  
भूमी आणि जिदगी विभाग,  
पिंपरी चिंचवड महानगरपालिका  
पिंपरी -१८

विषय :- संत तुकाराम नगर, पिंपरी येथील म्हाडाच्या मालकीच्या मंजूर भू-  
अभिन्यासातील मोकळ्या जागा व आरक्षित जागा पिंपरी-चिंचवड मनपास  
हस्तांतरित केल्याबाबत...

संदर्भ :- आपल्या कार्यालयाचे पत्र जा.क्र./भू जि/सर्व्हे -५/कावि-५/२०१८,  
दि. ३१/०७/२०१८

महोदय,

उपरोक्त विषयानुसार संत तुकाराम नगर पिंपरी येथील म्हाडाच्या मालकीच्या मंजूर  
भू-अभिन्यासातील मोकळ्या जागा (open space) व पिंपरी चिंचवड मनपाने आरक्षित केलेल्या जागा  
हस्तांतरण केल्याबाबत आपल्या कार्यालयाने संदर्भात पत्रानुसार माहिती उपलब्ध करून देण्याबाबत विनंती  
केली आहे.

त्यानुसार आपणास कळविण्यात येते की हस्तांतरण केल्याबाबत च्या नस्ती या कार्यालयाकडे  
उपलब्ध होत नाहीत परंतु पूर्वी संत तुकाराम नगर मध्ये असणाऱ्या उपविभागीय कार्यालयाने मंजूर भू-  
अभिन्यासातील सर्व मोकळ्या व सर्व आरक्षित जागा साधारणपणे सन १९८६ ते १९८९ कालावधीमध्ये  
पिंपरी चिंचवड मनपास हस्तांतरित केलेल्या आहेत.

आपले माहितीस्तव

सोबत :- मंजूर भू-अभिन्यासाची प्रत

पिंपरी-चिंचवड महानगरपालिका	
भूमी व जिदगी विभाग (टप्प)	
दिनांक	१/११/१८
आवक	२४६०
लिपिक	२५५६
लिपिक	५२१५
कार्य अधिकारी	

आपला विश्वास,

कार्यकारी अभियंता -२

पुणे मंडळ

परिचर्या विज्ञान संस्था, य.च.स्मृती रूग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८.



२) नकाशात रेषे माहून दाखविण्याप्रमाणे, स्पष्ट हुटवाचे, परतुत संवदात काही कारणांमुळे समजून घाली नाहीतर बांधकाम नियंत्रण कार्यालयाकडून माहिती कडून घ्यावी. हुटविलेह्या स्पष्टावर किंवा सेंट ऑफमधवे सज्जा, पायरो, ओटा, दावर, आडवी फळी इ. काही एक बांधकाम संश्लेषणावय कड नये

३) सार्वजनिक रस्तावर सज्जा करण्यास संमती दिली जाणार नाही.

४) नवीन वरचा पुरीभागी सज्जा करताना विजेच्या किंवा इतर वापिका तारा हलकिले जाहवात त्याची जबाबदारी महानगरपालिकेवर नाही घातबंधी अर्जाद्वारे परस्परसंबंधित अधिकाऱ्याची आगाऊ संमती घेण्याची व्यवस्था करावी.

५) एकच गाळा असलेह्या घराच्या पागोळ्या नितीच्या बाहेर एका फुटापेक्षा अधिक पुढे येऊ नयेत. अधिक माळे असल्यास पागोळ्या दीड फुटापेक्षा अधिक पुढे आणू नयेत. पागोळ्याचे पाणी सडकेलगतच्या गटारात उवावहन पडणार नाही, असे आडवे पन्हाळ व उमे नळ लावून दवारती नजीकच्या गटारात अगर भागावर पाणी सोडावे

६) हा या दाखल्याने दिलेली नाही उंचीप्रमाणे दवारतीस टाववारवंत पाणी पडविण्यासाठी योग्य अशा वंवाची न होडाची सोय आवश्यक आहे. फ्लॉडमधून जाणाऱ्या पाण्याच्या (विशेषतः पावसाच्या पाण्याचा) नैर्गतिक प्रवाहाचा मार्ग कोणावाही परिस्थितीत बंद वा कमी करण्याची संमती घ्या या दाखल्याने दिलेली नाही उंचीप्रमाणे दवारतीस टाववारवंत पाणी पडविण्यासाठी योग्य अशा वंवाची न होडाची सोय आवश्यक आहे.

७) घरबांधणी करिता लागणारा फाळ अथवा पहाड महानगरपालिकेला फी देऊन संमती घेतल्याशिवाय महानगरपालिकेच्या हद्दीत ठेवू नये. संमतीवाचून अशा पहाड ठेवल्यास तो अरराध होतो.

८) ज्या स्पष्टाप्रत्यय सरकारास तोंतसारा द्यावा लागतो. अशा स्पष्टाचा बापर पर बांधणीकडे करणे झाल्यास मा. जि.हा.धिकारी, जि.हा. पुणे यांची माग्यता घेऊन नंतरच काम करावे. प्रस्तुतपणे माग्यता घेतल्याशिवा अशा ठिकाणी बांधकाम सुद्ध कड नये.

९) सार्वजनिक मोकळे स्पष्ट अनाधिकाराने समाविष्ट केले आहे. असे महानगरपालिकेच्या निदर्शनास आल्यास बांधकाम पाहून स्पष्ट मोकळे कडून घेण्यात येईल. असे करण्यास या संमतीपत्राने बाध येत नाही आणि अशा वेळी काही हानी झाल्यास महानगरपालिका त्यास जबाबदार

१०) शेजारच्या लोकांना अथवा दुरांना कामापासून उंपसते किंवा दुसऱ्या कोणत्याही प्रकारचा त्रास अगर हानी पोहचू नये, त्या दारो तुमच्यावर आहे या संमतीपत्राने दुसऱ्या कोणत्या अधिकारास बाध येत नाही आणि तुम्ही आपल्या अधिकारा बाहेर कोणतेही काम केले जबाबदारी तुमच्यावर राहिल.

११) हा दाखला महानगरपालिकेच्या सेवकांनी अथवा संरक्षकाने (पोलिसाने) पाहण्यास मागितला असता दाखल्या पाहिजे. तसा तो न दाखविल्यास संमतीपत्राविना काम चालू आहे. असे समजण्यात येईल.

१२) हा दाखला एक वर्षाकरिता अस्तित्वात राहिल. पुढे तो आपोआप रद्द झाला असे समजणेत येईल. सदर संमतीपत्राप्रमाणे काम एक वर्षानंतर करणे असल्यास नवीन मुपरध्वीजन भेपीतह अर्ज कडून संमतीपत्राची मुदत वाढवून घेतली पाहिजे व असे संमतीपत्र मिळाल्यानंतर बांधकाम सुद्ध करावे.

१३) विशेष प्रसंगी महानगरपालिकेने लेखी आज्ञा दिली तर ती तुम्ही मांग्य केली पाहिजे, त्यात या संमतीबद्दल बाध येत नाही.

१४) बांधकाम चालू करण्यापूर्वी महानगरपालिकेकडून नळास पाण्याचा मीटर बसवून घेतला पाहिजे.

१५) पाण्याच्या दाबाविषयी महानगरपालिका जबाबदार नाही. महानगरपालिकेच्या नळाच्या पाण्याचे प्रेशर कमी असल्यामुळे इमारती मजल्यावर पाणी चढू शकणार नसल्यास संबंध इमारतीस योग्य व पुरेशा प्रमाणात पाणीपुरवठा होण्याच्या दृष्टीने पाण्याचा साठा करण्यास मोबतालच्या मोकळ्या जाणेत घरमालकास मा. नहर अभियंता अथवा संबंधित अधिकारी सांगतील त्या मापाचा डिझाईनचा व स्पेसिफिकेय करिता होद बांधावा लागेल व त्या होदात म्युनिसिपल मेन वॉटर लाईन पासून पाणी आणून होदात सोडावे लागेल, रवाचप्रमाणे सुद्ध हो इलेक्ट्रिक पंप बसवून सदर पंपाच्या सहाय्याने इमारतीच्या सर्वात वरील मजल्यावर पुरेशा मापाची टाकी बसवून त्यात सोडावे लागेल व नंतर टॅक पॉईन्टच्या सहाय्याने इमारतीच्या प्रत्येक मजल्यावर पुरेशा पाणीपुरवठा होईल अशी जहर ती तजवीज घरमालकास करावी लागेल सदरच्या टाकाचा आकार मा. नहर अभियंता अथवा संबंधित अधिकारी ठरवतील या प्रमाणे असला पाहिजे. विजेचा पुरवठा घरमालकास करावी लागेल कॅपनॉकडून मिळत नसल्यास दिग्नेल ऑईसच्या अगर पेट्रोलच्या सहाय्याने चालणारे इंजिन बसवून पाणी बरव्यामजल्यावर पंप करण्याची व्यवस्था घरमालकास करावी लागेल या सर्तीप्रमाणे पंप बसवून पाणी पुरवठ्याची तजवीज घरमालकाने केल्याशिवाय बांधकामास पूर्णत्वाचा दाखला (कॅन्सिडर सटिफिकेट) दिले जाणार नाही व इमारतीचा बापर घरमालकास स्वतःसाठी करता येणार नाही अगर दुसऱ्यास बापर कड देता येणार नाही.

१६) घरातील नळ फिटिंगचे काम नकाने मंजूर कडून घेऊन लायसेन्स व्लंबर मार्फतच केले पाहिजे.

१७) फ्लॉडिंग पायलाना करणे असल्यास आत पुलवेन सिस्टॅम व त्यावर पुरेशा पाण्याची टाकी बंद केली पाहिजे.

१८) महानगरपालिकेच्या लेखी संमतीपत्राशिवाय नवीन विहीर तलाव किंवा डबके होद अगर कारंजे खोदण्याचे अगर बांधण्याचे काम कड नये. गलीटॅक्स व उघडी गटारे यांना मच्छर प्रतिबंधक व्यवस्था केली पाहिजे होदात केरकचरा न जाईल अशी शाकणे व्यवस्थीतपणे बसवावीत त्यास मुसमपणे काढता येईल असे मजबूत कुलूप व किल्ली जोडावे तसेच ओव्हरपलो (वर्किंग) पाईपला चागल्यावर्की गुापर नेहाचे संरक्षण असावे. हद्दीवरील मितीवर प्लॅटच्या वाटल्याचे तुकडे बसवू नयेत. फ्लॉडिंग संवासे अगर इतर संवासे जोते नजिकच्या रस्त्याच्या मध्यबिंदू पासून अगर मालकाच्या इमारती मोबतालच्या जागेपासून ०.५ मी. उंचीचे असावे.

१९) संबंधी प्लॉटबाबतचा रस्ता, वीज, पाणी, ड्रेनेज इ. वेव्हलपमेंटस म्युनिसिपल स्पेसिफिकेशनप्रमाणेच तयार केल्या पाहिजे सज्जा सडर इन्फ्लायमेंटस घासण्या त्तारी ऐकल्या जाणार नाहीत व रस्ते साध्यात घेतले जाणार नाही.

२०) नियोजित बांधकाम रेषेच्या हद्दीपासून ३० मीटरच्या आत येत असल्यास रस्ते साध्याहड्डील ना हुरकत दाखला सादर करावा.



Handwritten signature in blue ink.



पिंपरी चिंचवड महानगरपालिका, पिंपरी - ४११०१८.

महाराष्ट्र महानगरपालिका अधिनियम २०१२

( सु.डी.सी.पी.आर - २०२०, परिशिष्ट - 'एच' )

भाग भोगवटा पत्रक क्र. ७७/२०२४

महाराष्ट्र महानगरपालिका अधिनियम २०१२, (जुना मुंबई प्रांतिक महानगरपालिका अधिनियम १९४९) चे कलम २५३ व २५४ अन्वये मौजे मौजे पिंपरी येथील स. नं.१७० व १७१ अर्जदार कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय यांना १) मुळ परवानगी क्र. वीपी/लेआऊट/पिंपरी/९२/२०१८ दि.२८/०९/२०१८, २) सुधारीत बांधकाम परवानगी क्र.वीपी/पिंपरी/९९/२०२२ दि.१९/१२/२०२२, ३) भाग पुर्णत्वाचा दाखला क्र. ८३२/२०२३ दि. ०९/११/२०२३, ४) सुधारीत बांधकाम परवानगी क्र.वीपी/पिंपरी/०८/२०२४ दि.०८/०२/२०२४ वरील प्रमाणे अर्जदार यांनी इमारतीचे काही बांधकाम पुर्ण केलेमुळे अर्जदार कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय यांना (अर्ज क्र.१०३३२३२४००१८१४९ दि.०२/०१/२०२४) पासून खालील नमुद केलेल्या इमारतीचा भोगवटा करणेस परवानगी देणेत येत आहे.

इमारतीचे वर्णन.

(रेकॉर्ड प्लॅननुसार)

मजले	शैक्षणिक बांधकाम क्षेत्र चौ.मी.
वेसमेंट	०.०० चौ.मी.
तळ मजला	१३०९.५० चौ.मी.
पहिला मजला	१४२.५७ चौ.मी.
दुसरा मजला	१४२.५७ चौ.मी.
तिसरा मजला	१३३२.१४ चौ.मी.
चौथा मजला	१२९२.२३ चौ.मी.
पाचवा सव्हीस मजला	०.०० चौ.मी.
सहावा मजला	१११९.०७ चौ.मी.
सातवा मजला	१२१७.९४ चौ.मी.
आठवा मजला	१२५४.४८ चौ.मी.
नऊवा मजला	१२५४.४८ चौ.मी.
दहावा मजला	१२५४.४८ चौ.मी.
एकुण	१०३१९.४६ चौ.मी.

बांधकाम क्षेत्र = १०३१९.४६ चौ.मी

वरील इमारतीचे काम ला. आर्कि. श्री. शशीप्रभु अॅण्ड असो व स्ट्रक्चरल इंजिनिअर श्री. मोहन सागळकर लायसन्स - 581 A यांचे सुपरव्हिजनच्या नियंत्रणात पुर्ण करण्यात आले आहे. तरी सदर इमारती भोगवटा खालील अटीवर सुरु करण्यास परवानगी देण्यात येत आहे.

अट क्र. १) वेळोवेळीच्या काही आक्षेप उपस्थित झालेस सदरबाबत पूर्तता करणेची जबाबदारी संबंधित विस्तार यंत्रणेची राहिली.

२) म.न.पा. चा टप्पा क्र. ५ व ६ पुर्ण झाल्यानंतर मनपा मार्फत पाणीपूरवठा करण्यात येईल.

विकसकाने स्वतः गृहप्रकल्पास पाणीपूरवठ्याची व्यवस्था करावी.

३) सिमाभिती बाबत वाद विवाद उद्भवल्यास मनपा जबाबदार राहणार नसुन विविधा विज्ञान २०२३ स्मृती सल्लागार पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८



पिंपरी चिंचवड महानगरपालिका, पिंपरी - ४११०१८.

महाराष्ट्र महानगरपालिका अधिनियम २०१२

( यु.डी.सी.पी.आर - २०२०, परिशिष्ट - 'एच' )

भाग भोगवटा पत्रक क्र. ७७/२०२४

महाराष्ट्र महानगरपालिका अधिनियम २०१२, (जुना मुंबई प्रांतिक महानगरपालिका अधिनियम १९४९) चे कलम २५३ व २५४ अन्वये मौजे मौजे पिंपरी येथील स. नं. १७० व १७१ अर्जदार कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय यांना १) मुळ परवानगी क्र. बीपी/लेआऊट/पिंपरी/९२/२०१८ दि.२८/०९/२०१८, २) सुधारीत बांधकाम परवानगी क्र.बीपी/पिंपरी/९९/२०२२ दि.१९/१२/२०२२, ३) भाग पूर्णत्वाचा दाखला क्र. ८३९/२०२३ दि. ०९/११/२०२३, ४) सुधारीत बांधकाम परवानगी क्र.बीपी/पिंपरी/०८/२०२४ दि.०८/०२/२०२४ वरील प्रमाणे अर्जदार यांनी इमारतीचे काही बांधकाम पूर्ण केलेमुळे अर्जदार कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय यांना (अर्ज क्र.१०३३२३२४००१८१४९ दि.०२/०१/२०२४) पासून खालील नमुद केलेल्या इमारतीचा भोगवटा करणेस परवानगी देणेत येत आहे.

इमारतीचे वर्णन.

(रेकॉर्ड प्लॅननुसार)

मजले	शैक्षणिक बांधकाम क्षेत्र चौ.मी.
वेसमेंट	०.०० चौ.मी.
तळ मजला	१३०९.५० चौ.मी.
पहिला मजला	१४२.५७ चौ.मी.
दुसरा मजला	१४२.५७ चौ.मी.
तिसरा मजला	१३३२.१४ चौ.मी.
चौथा मजला	१२९२.२३ चौ.मी.
पाचवा सव्हीस मजला	०.०० चौ.मी.
सहावा मजला	१११९.०७ चौ.मी.
सातवा मजला	१२१७.९४ चौ.मी.
आठवा मजला	१२५४.४८ चौ.मी.
नऊवा मजला	१२५४.४८ चौ.मी.
दहावा मजला	१२५४.४८ चौ.मी.
एकुण	१०३१९.४६ चौ.मी.

बांधकाम क्षेत्र = १०३१९.४६ चौ.मी

वरील इमारतीचे काम ला. आर्कि. श्री. शशीप्रभु अॅण्ड असो व स्ट्रक्चरल इंजिनियर श्री. मोहन सावळकर लायमन्स. - 581 A यांचे सुपरव्हिजनच्या नियंत्रणात पूर्ण करण्यात आले आहे. तरी सदर इमारती भोगवटा खालील अटीवर सुरु करण्यास परवानगी देण्यात येत आहे.

अट क्र. १) वेळापत्रकात काही आक्षेप उपस्थित झालेस सदरबाबत पूर्तता करणेची जबाबदारी संबंधित विभागक यानी राहिल.

२) म.न.पा. चा टप्पा क्र. ५ व ६ पूर्ण झाल्यानंतर मनपा मार्फत पाणीपूरवठा करण्यात येईल


विकसकाने स्वतः गृहप्रकल्पास पाणीपूरवठ्याची व्यवस्था करावी.

३) सिमाभिती बाबत वाद विवाद उद्भवल्यास मनपा जबाबदार राहणार

पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८

हा दाखला आज दिनांक २१/०१/२०२४ रोजी माझे सहीने व कार्यालयीन शिक्क्यानिशी दिला आहे.  
सोबत - नकाशांच्या प्रती

  
शहर अभियंता  
बांधकाम परवानगी विभाग व अनधिकृत  
बांधकाम नियंत्रण विभाग  
पिंपरी चिंचवड महानगरपालिका  
पिंपरी पुणे १८

  
मा. अति आयुक्त (१)  
पिंपरी चिंचवड महानगरपालिका  
पिंपरी पुणे १८

प्रत,

- १) मालक / विकसक - कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय
- २) ला. आर्कि. - श्री. शशी प्रभु अॅण्ड असो
- ३) सहा. मंडलाधिकारी, गांव - पिंपरी
- ४) करसंकलन विभाग यांचेकडे माहितीसाठी व तजविसाठी रवाना.




पिंपरी चिंचवड महानगरपालिका, पिंपरी - ४११०१८.

महाराष्ट्र महानगरपालिका अधिनियम २०१२

(यु.डी.सी.पी.आर - २०२०, परिशिष्ट - 'एच')

भोगवटा पत्रक क्र.८०३/२०२४



महाराष्ट्र महानगरपालिका अधिनियम २०१२, (जुना मुंबई प्रांतिक महानगरपालिका अधिनियम १९४९) चे कलम २५३ व २५४ अन्वये मौजे मौजे पिंपरी येथील स. नं.१७० व १७१ अर्जदार कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय यांना १) मुळ परवानगी क्र. वीपी/लेआऊट/पिंपरी/९२/२०१८ दि.२८/०९/२०१८, २) सुधारीत बांधकाम परवानगी क्र.वीपी/पिंपरी/९९/२०२२ दि.१९/१२/२०२२, ३) भाग पुर्णत्वाचा दाखला क्र. ८३९/२०२३ दि.०९/११/२०२३, ४) सुधारीत बांधकाम परवानगी क्र.वीपी/पिंपरी/०४/२०२४ दि.०८/०२/२०२४, ५) भाग भोगवटा दाखला क्र. ७४/२०२४ दि. ०८/०२/२०२४ वरील प्रमाणे अर्जदार यांनी इमारतीचे काही बांधकाम पुर्ण केलेमुळे अर्जदार कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय यांना (अर्ज क्र.१०३३२३२४००२२३१० दि. २७/०३/२०२४) पासून खालील नमुद केलेल्या इमारतीचा भोगवटा करणेस परवानगी देणेत येत आहे.

इमारतीचे वर्णन. (रेकॉर्ड प्लॅननुसार)

मजले	शैक्षणिक बांधकाम क्षेत्र चौ.मी.
अकरावा मजला	८५८.९२ चौ.मी
एकुण	८५८.९२ चौ.मी

एकुण बांधकाम क्षेत्र = ८५८.९२ चौ.मी

वरील इमारतीचे काम ला. आर्कि. श्री. शशीप्रभु अॅण्ड असो व स्ट्रक्चरल इंजिनियर श्री. मोहन साकळकर लायसन्स नं. - 581 A यांचे सुपरव्हिजनच्या नियंत्रणात पुर्ण करण्यात आले आहे. तरी सदर इमारती भोगवटा खालील अटीवर सुरु करण्यास परवानगी देण्यात येत आहे.

- अट क्र. १) लेखापरिक्षणात काही आक्षेप उपस्थित झालेस सदरबाबत पूर्तता करणेची जबाबदारी संबंधित विकसक यांची राहिल.
- २) म.न.पा. चा टप्पा क्र. ५ व ६ पुर्ण झाल्यानंतर मनपा मार्फत पाणीपूरवठा करण्यात येईल तोपर्यंत विकसकाने स्वतः गृहप्रकल्पास पाणीपूरवठ्याची व्यवस्था करावी.
- ३) सिमाभिंती बाबत वाद विवाद उद्भवल्यास मनपा जबाबदार राहणार नाही.

हा दाखला आज दिनांक. २३/१०/२०२४ रोजी माझे सहीने व कार्यालयीन शिक्क्यानिशी दिला आहे.  
सोबत - नकाशांच्या प्रती

शहर अभियंता

बांधकाम परवानगी विभाग व अनधिकृत

बांधकाम नियंत्रण विभाग

पिंपरी चिंचवड महानगरपालिका

पिंपरी पुणे १८

1300

महानगरपालिका आयुक्त (१)

पिंपरी चिंचवड महानगरपालिका

पिंपरी पुणे १८


प्रत,

१) मालक / विकसक - कार्यकारी अभियंता, ह क्षेत्रीय कार्यालय

२) ला. आर्कि. - श्री. शशी प्रभु अॅण्ड असो

३) सहा.मंडलाधिकारी, गांव - पिंपरी

४) करसंकलन विभाग यांचेकडे माहितीसाठी व तजविसाठी रवाना.



APKUKA

प्रमुख

परिचर्या विभाग, १) महानगरपालिका कार्यालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८.



	m). These lifts shall have Fireman's switch and Talk back Facility emergency communication system
14.	Refuge area being provided.
15.	a) Basement/Lower Parking should have proper Mechanical Smoke Extraction & Dewatering pump Arrangements to prevent smoke and water logging. b) Mirror should be provided all Basement/Lower/Ground/Upper Parking Level's blind turn appropriate areas.
16.	Basement/Lower Parking being used only for Parking and Nonflammable stores as per DC Rule Cl.15.11.12 &15.11.13. Human habitation use of any kind is not permitted.
17.	(a) ABC Type Fire Extinguishers ,6 kg cap.(ISI mark of Reputed Brand) - 6 Nos. on every floor and additional 1Nos for Electric Panel Board, 1 Nos for Lift Room of each building and 1 Nos. for D.G. Set /Transformer/D.P/ Feeder pole being provided. (b) ABC Type 6 kg cap.(ISI mark of Reputed Brand) -2 Nos. minimum for every office, etc. being provided in case of Mix or Commercial occupancy bldgs. (c) ABC Type 6 kg capacity (ISI mark of Reputed Brand) -1 Nos. minimum for every 100 sq mtr area for every Basement or other Parking areas AND 1 no for every vehicle for bldgs having Stack Mechanical/Puzzle Parking if any.
18.	Courtyard Ring Mains (Above Ground) and or Parking Hydrants with one 2/4 way Collecting Head for each wing, being provided apart from the bldg in front, at accessible position as per IS-13039-1991 - Provision & Maintenance of External Hydrant System.
19.	Fire Pump Installation and all Emergency Lighting System (eg. Staircase, passage, etc) being connected to Independent Backup System, for cluster and Tower Buildings.
20.	Addressable Automatic Smoke/Multi Sensor Detection and Fire Alarm System being provided for Commercial Buildings above 15mtrs height or having floor area above 500 sq mtrs, with Laser Beam Detectors in Mix. Bldg. as per IS-2189-1999 Code of Practice for selection, installation and maintenance of Automatic Fire Detection and Alarm System. Detectors and Panel Board being of reputed company. Linear Heat Detection System for Electrical/Electronic Panels/Computer Server, etc
21.	Building Revision if any towards Remaining/Addl FSI,TDR Loading, Addl Plot Amalgamation, etc. in future, shall be sanctioned, subject to strict compliance of PCMC DC Rules Cl.6.2.6.1,10.6,19.6.2,19.6.3,19.6.4 and GR No.TPS-1809/287/CR-1924/UD-13, Dt.10/03/2010, for Two Staircases, proper Side Margins & proper Approach Road width clearance, only. Apart from above requirements, the construction of the building and compliance being carried out as per the following codes, which is the moral responsibility of the applicant - a. NBC -2016 Codes - Part IV - Fire and Life Safety b. ISI Codes - • IS-1642 - Code for Fire Safety of Buildings.-Details of Construction • IS-1643 - Code for Fire Safety of Buildings- Exposure Hazard. • IS-1644 - Code for Fire Safety of Buildings- Exit requirement and Personal Hazards. • IS-1646 - Code for Fire Safety of Buildings- Electrical Installation. • IS-732 - Code for Electrical Wiring installations. • IS-1893- Criteria for Earthquake Design of Structures and • IS-4326- Code for Earthquake Resistance Design and Construction of building • IS-2309- Code for Protection of buildings against Lightning Safety.
NOC Remarks if any	Prov. NOC No. Fire/01/5RC/WS/13/2018, Dt.05/04/2018. Rev. to Part Final. No. Fire/01/5RC/WS/797/2023, Dt.08/11/2023. <u>Recommended against Prov. NOC No. Fire/5RC/WS/1176/2024, Dt.08/02/2024.</u> Subject to जा. क्र. ह क्षे./स्था/कावि/९४/२०२४, दि.०७/०२/२०२४. Subject to Sanctioned Plan No. BP/Wakad/17/2020, Dt.24/01/2020. As per proposal note no. 401 sanctioned by Hon. Addl. Commissioner on Dt.09/02/2024

Since, this NOC is only for building construction purposes, Fire NOC for the Business / Utility purposes should be taken separately. eg. Malls, Multiplexes, Hotels, Hospitals, Schools, Gas Banks, Gas Agencies, Petrol Pumps, etc.

The Builder/Promoter/Architect, etc. to enter Annual Maintenance Contract with certified Fire Agency for minimum period of 3-5 years towards, efficient working of the system and to hand over the entire Fire Fighting system in operating condition to the Society/Apartment/Occupier, officially during the Tenement/Society handing over process.

It is the sole responsibility of the occupier to maintain and keep in good working conditions all the time, the installed fire fighting system and keep in use and impart training of the use of system to the tenements, as per Sec. 3(1) of Mah. Fire Act - 2006, failing of which the NOC shall be deemed cancelled.

The Occupier / Fire Agency should submit Certificate for proper maintenance and good working condition of the fire fighting system every year to this office as per Sec 3(3) of Mah. Fire & Life Safety Act - 2006, in "B" Form.

The Fire Office reserves the right of entry for surprise visit and inspection of the system as per the Sec. 5(1) of the Mah. Fire & Life Safety Act - 2006.

\*Difference of Fees amount if any, found during Audit, in future, will be recovered from the Applicant / Occupier.

Fire NOC Fees once paid, is Non refundable.

(Abbrv: B-Basement, Gr.-Ground, Po-Podium, Pr-Parking, BP-Basement Parking, GP-Ground Parking)

**Site Address :-**

"Parking Bldg & Night Shelter Bldg" Bldg.,  
R.No.170/171, "YCM Hospital  
Hostel Wing A & B  
Campus Sant Tukaram Nagar,  
Pimpri, Pune.

**Fire System Installer:-**

M/s. Technoinfra Engineering  
Services India LLP,  
Chinchwad, Pune.

  
Fire Officer 09/02/2024

Pimpri Chinchwad Municipal Corporation  
Pimpri - 18.

To,

Arch. Shashi Prabhu And Associates

For: Owner: M/s. Excutive Engineer PCMC (H Zone)


Details of Previous Fees Paid:

Particulars	Prev. fees paid in Rs.	Receipt No & Date
Particulars Paid	0.00/-	N/A
Total Paid	0.00/-	.....
<b>Final Fire NOC Fees Nil.</b>		
<b>This is PCMC Hospital Bldg. Comm. Project Therefore; Fire NOC Fees payment exemption may please be given for the same PCMC project.</b>		

\*Fees Receipt being preserved properly & Xerox copy submitted during next submission for Revision or Final NOC case.

..... FINISH .....





ब्राह्मण


परिचर्या विज्ञान अं. न. रमती रुग्णालय  
पिंपरी चिंचवड नगरपालिका, पिंपरी-१८.

**BUILDING, PARKING AND DR RESIDENCE BUILDING**  
**FOURTH FLOOR PLAN**

**STAMP OF APPROVAL**


Sanctioned No. **18/100022014/2024**  
 Date of Sanction **14/02/24**  
 Building Department, Government of Karnataka  
 Bangalore  
 Project Name: **REGOLAS TRUCK, VASU OD PARKING GARDN**  
 Project Location: **REGOLAS TRUCK, VASU OD PARKING GARDN**  
 Project No: **18/100022014/2024**  
 Project Area: **11.1100** Sq. Mts.  
 Building Area: **11.1100** Sq. Mts.  
 Project Engineer: **P. S. Srinivas**  
 Project Engineer: **P. S. Srinivas**  
 Project Engineer: **P. S. Srinivas**

MAIN REVISIONS BY DIMENSIONS: DATE: 24.03.2024  
 REVISION: 1) BY PAPERWORK DATE: 31.07.2022  
 2) BY PAPERWORK DATE: 02.04.2023  
 3) BY PAPERWORK DATE: 02.04.2023  
 4) BY PAPERWORK DATE: 02.04.2023  
 5) BY PAPERWORK DATE: 02.04.2023



**FOURTH FLOOR BHP AREA CALCULATION**

AREA		STANDARD DEDUCTION		NET AREA	
NO.	DESCRIPTION	AREA	DEDUCTION	NET AREA	PERCENTAGE
1	W.C.	4.40	2.85	1.55	37.62
2	W.C.	4.25	0.30	3.95	92.96
3	W.C.	1.80	0.20	1.60	88.89
4	W.C.	1.80	0.20	1.60	88.89
5	W.C.	1.20	0.10	1.10	91.67
6	W.C.	1.20	0.10	1.10	91.67
7	W.C.	1.20	0.10	1.10	91.67
8	W.C.	1.20	0.10	1.10	91.67
9	W.C.	1.20	0.10	1.10	91.67
10	W.C.	1.20	0.10	1.10	91.67
11	W.C.	1.20	0.10	1.10	91.67
12	W.C.	1.20	0.10	1.10	91.67
13	W.C.	1.20	0.10	1.10	91.67
14	W.C.	1.20	0.10	1.10	91.67
15	W.C.	1.20	0.10	1.10	91.67
16	W.C.	1.20	0.10	1.10	91.67
17	W.C.	1.20	0.10	1.10	91.67
18	W.C.	1.20	0.10	1.10	91.67
19	W.C.	1.20	0.10	1.10	91.67
20	W.C.	1.20	0.10	1.10	91.67
21	W.C.	1.20	0.10	1.10	91.67
22	W.C.	1.20	0.10	1.10	91.67
23	W.C.	1.20	0.10	1.10	91.67
24	W.C.	1.20	0.10	1.10	91.67
25	W.C.	1.20	0.10	1.10	91.67
26	W.C.	1.20	0.10	1.10	91.67
27	W.C.	1.20	0.10	1.10	91.67
28	W.C.	1.20	0.10	1.10	91.67
29	W.C.	1.20	0.10	1.10	91.67
30	W.C.	1.20	0.10	1.10	91.67
31	W.C.	1.20	0.10	1.10	91.67
32	W.C.	1.20	0.10	1.10	91.67
33	W.C.	1.20	0.10	1.10	91.67
34	W.C.	1.20	0.10	1.10	91.67
35	W.C.	1.20	0.10	1.10	91.67
36	W.C.	1.20	0.10	1.10	91.67
37	W.C.	1.20	0.10	1.10	91.67
38	W.C.	1.20	0.10	1.10	91.67
39	W.C.	1.20	0.10	1.10	91.67
40	W.C.	1.20	0.10	1.10	91.67
41	W.C.	1.20	0.10	1.10	91.67
42	W.C.	1.20	0.10	1.10	91.67
43	W.C.	1.20	0.10	1.10	91.67
44	W.C.	1.20	0.10	1.10	91.67
45	W.C.	1.20	0.10	1.10	91.67
46	W.C.	1.20	0.10	1.10	91.67
47	W.C.	1.20	0.10	1.10	91.67
48	W.C.	1.20	0.10	1.10	91.67
49	W.C.	1.20	0.10	1.10	91.67
50	W.C.	1.20	0.10	1.10	91.67
51	W.C.	1.20	0.10	1.10	91.67
52	W.C.	1.20	0.10	1.10	91.67
53	W.C.	1.20	0.10	1.10	91.67
54	W.C.	1.20	0.10	1.10	91.67
55	W.C.	1.20	0.10	1.10	91.67
56	W.C.	1.20	0.10	1.10	91.67
57	W.C.	1.20	0.10	1.10	91.67
58	W.C.	1.20	0.10	1.10	91.67
59	W.C.	1.20	0.10	1.10	91.67
60	W.C.	1.20	0.10	1.10	91.67
61	W.C.	1.20	0.10	1.10	91.67
62	W.C.	1.20	0.10	1.10	91.67
63	W.C.	1.20	0.10	1.10	91.67
64	W.C.	1.20	0.10	1.10	91.67
65	W.C.	1.20	0.10	1.10	91.67
66	W.C.	1.20	0.10	1.10	91.67
67	W.C.	1.20	0.10	1.10	91.67
68	W.C.	1.20	0.10	1.10	91.67
69	W.C.	1.20	0.10	1.10	91.67
70	W.C.	1.20	0.10	1.10	91.67
71	W.C.	1.20	0.10	1.10	91.67
72	W.C.	1.20	0.10	1.10	91.67
73	W.C.	1.20	0.10	1.10	91.67
74	W.C.	1.20	0.10	1.10	91.67
75	W.C.	1.20	0.10	1.10	91.67
76	W.C.	1.20	0.10	1.10	91.67
77	W.C.	1.20	0.10	1.10	91.67
78	W.C.	1.20	0.10	1.10	91.67
79	W.C.	1.20	0.10	1.10	91.67
80	W.C.	1.20	0.10	1.10	91.67
81	W.C.	1.20	0.10	1.10	91.67
82	W.C.	1.20	0.10	1.10	91.67
83	W.C.	1.20	0.10	1.10	91.67
84	W.C.	1.20	0.10	1.10	91.67
85	W.C.	1.20	0.10	1.10	91.67
86	W.C.	1.20	0.10	1.10	91.67
87	W.C.	1.20	0.10	1.10	91.67
88	W.C.	1.20	0.10	1.10	91.67
89	W.C.	1.20	0.10	1.10	91.67
90	W.C.	1.20	0.10	1.10	91.67
91	W.C.	1.20	0.10	1.10	91.67
92	W.C.	1.20	0.10	1.10	91.67
93	W.C.	1.20	0.10	1.10	91.67
94	W.C.	1.20	0.10	1.10	91.67
95	W.C.	1.20	0.10	1.10	91.67
96	W.C.	1.20	0.10	1.10	91.67
97	W.C.	1.20	0.10	1.10	91.67
98	W.C.	1.20	0.10	1.10	91.67
99	W.C.	1.20	0.10	1.10	91.67
100	W.C.	1.20	0.10	1.10	91.67




**WINDOW SCHEDULE**

SERIAL NO.	WINDO W/VT	SIZE	SUB. LVL.	INTEL. LVL.	SPECIFICATION
1	W1	2800X1500	800	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
2	W2	1500X1950	800	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
3	W3	2800X1950	800	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
4	W4	1500X1950	800	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
5	W5	1500X1700	800	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
6	W6	1500X1700	800	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
7	W7	1400X450	2100	2550	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
8	W8	1400X450	2100	2550	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
9	W9	1400X450	2100	2550	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
10	W10	2800X1950	2400	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME

**DOOR SCHEDULE**

SERIAL NO.	DOOR	SIZE	REMARK	INTEL. LVL.	SPECIFICATION
1	D1	2000X2400	DOUBLE LEAF	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
2	D2	1000X2400	SINGLE LEAF	2400	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
3	D3	800X1500	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
4	D4	1000X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
5	D5	750X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
6	D6	1500X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
7	D7	1500X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
8	D8	1500X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
9	D9	1000X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME
10	D10	1000X2100	SINGLE LEAF	2100	ALU WINDOW FRAME, 3000 SERIES, TINTED WINDOW, GRANTY FRAME



**OWNERS NAME:** HIRASAO H. (VCA HOSPITAL)

**PROJECT:** REGOLAS TRUCK, VASU OD PARKING GARDN

**EXECUTIVE ENGINEER:** HIRASAO H. (VCA HOSPITAL)

**PROJECT NO.:** 175 & 171

**DESCRIPTION:** REGOLAS TRUCK, VASU OD PARKING GARDN

**ARCHITECT:** SRIKANTH K. S. (SRIKANTH ARCHITECTS)

**SCALE:** DRAWING BY CHECKED BY

**DATE:** 14/02/24

**PROJECT NO.:** 175 & 171

**SCALE:** DRAWING BY CHECKED BY

**DATE:** 14/02/24

**PROJECT NO.:** 175 & 171

**SCALE:** DRAWING BY CHECKED BY


**DATE:** 14/02/24



OWNERS NAME: **WVVA REHABILITATION PARTNERSHIP LLC** (Case: 24-03-1008)  
 EXECUTIVE ENGINEER: **FRANKING, H. (VCM HOSPITAL)**  
 PROJECT: **REHABILITATION OF THE WASHINGTON VA MEDICAL CENTER**  
 PROJECT NO.: **1713 & 171**  
 SHEET NO.: **4-11-1**

REGULAR TRACK, V.A. MEDICAL CENTER  
 ARCHITECT: **FRANKING, H. (VCM HOSPITAL)**  
 ENGINEER: **FRANKING, H. (VCM HOSPITAL)**  
 CONTRACT NO.: **1713 & 171**  
 SHEET NO.: **4-11-1**

**STAMP OF APPROVAL**  
 Submitted No. **047-2024**  
 Subject to conditions mentioned in the  
 approved drawings.  
 Date: **04/10/24**  
**Blairy Peterson and Associates Blology**  
 Project Director  
 Project No. **1713 & 171**  
**Blairy Peterson and Associates Blology**  
 Project Director  
 Project No. **1713 & 171**



SECTION BB'

DEPTH OF PART AS PER CODE M.M.

ST-2

SECTION CC'

DEPTH OF PART AS PER CODE M.M.









38	39
40	41
42	43
44	45
46	47
48	49
50	51
52	53
54	55
56	57
58	59
60	61
62	63
64	65
66	67
68	69
70	71
72	73
74	75
76	77
78	79
80	81
82	83
84	85
86	87
88	89
90	91
92	93
94	95
96	97
98	99
100	101
102	103
104	105
106	107
108	109
110	111
112	113
114	115
116	117
118	119
120	121
122	123
124	125
126	127
128	129
130	131
132	133
134	135
136	137
138	139
140	141
142	143
144	145
146	147
148	149
150	151
152	153
154	155
156	157
158	159
160	161
162	163
164	165
166	167
168	169
170	171
172	173
174	175
176	177
178	179
180	181
182	183
184	185
186	187
188	189
190	191
192	193
194	195
196	197
198	199
200	201
202	203
204	205
206	207
208	209
210	211
212	213
214	215
216	217
218	219
220	221
222	223
224	225
226	227
228	229
230	231
232	233
234	235
236	237
238	239
240	241
242	243
244	245
246	247
248	249
250	251
252	253
254	255
256	257
258	259
260	261
262	263
264	265
266	267
268	269
270	271
272	273
274	275
276	277
278	279
280	281
282	283
284	285
286	287
288	289
290	291
292	293
294	295
296	297
298	299
300	301
302	303
304	305



# मौजे पिंपरीवाघेरी

तालुका हवालदार

## जिल्हा पुणे

या मागा प्रमाणात बीस 'संख्या' नुसार अंकीत क्षेत्र क्षेत्र एक.  
कि.मी.त २.१.५०.

सर्व मागा-संख्या नुसार अंकीत क्षेत्र क्षेत्र एक.  
सर्व मागा प्रमाणात बीस 'संख्या' नुसार अंकीत क्षेत्र क्षेत्र एक.  
सर्व मागा प्रमाणात बीस 'संख्या' नुसार अंकीत क्षेत्र क्षेत्र एक.  
सर्व मागा प्रमाणात बीस 'संख्या' नुसार अंकीत क्षेत्र क्षेत्र एक.



70111/408365-2025 ✓

पिंपरी चिंचवड महानगरपालिका  
परिचर्या विज्ञान संस्था  
वायसीएम रुग्णालय, पिंपरी, पुणे - १८  
वायसीएमएच/आयएनएस/कावि/४७/२०२५  
दि. १०/११/२०२५


प्रति,  
भा. अधिष्ठाता,  
पदव्युत्तर संस्था,  
यशवंतराव चव्हाण स्मृती रुग्णालय,  
पिंपरी, पुणे- १८

विषय: नर्सिंग महाविद्यालय करिता Lab Article मिळणेबाबत .


मा. महोदय,  
वरील विषयानुसार कळविण्यात येते की, नर्सिंग महाविद्यालयात MUHS, MNC, INC, Inspection करिता शैक्षणिक आणि प्रात्यक्षिक कार्यासाठी आणि भविष्यात MUHS, MNC, INC, Inspection आवश्यक प्रयोगशाळा साधनसामग्री (Lab Article) ची आवश्यकता आहे. त्यामुळे आपणास विनंती आहे की, प्रयोगशाळेसाठी आवश्यक साधनसामग्रीची उपलब्धता करून देणेत यावी.


टीप :

सोबत LAB ARTICAL ची यादी जोडली आहे.

  
प्राचार्य

पिंपरी चिंचवड महानगरपालिका  
परिचर्या विज्ञान संस्था  
यशवंतराव चव्हाण स्मृती रुग्णालय,  
पिंपरी, पुणे




  
प्राचार्य

परिचर्या विज्ञान संस्था, य.च.स्मृती रुग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८.

**Pre Clinical Sciences Laboratory**  
**List Articles**

Sr. No.	Articles	Quantity
1	Heart model with stand	1
2	Lungs and trachea model	1
3	Digestive system model	1
4	Lobules and alveoli of lungs model	1
5	Spinal cord model	1
6	Adult skull	1
7	Pancreas, spleen and duodenum	1
8	Heart model with stand	1
9	Lungs and trachea model	1
10	Digestive system model	1
11	Lobules and alveoli of lungs model	1
12	Spinal cord model	1
13	Adult skull	1
14	Pancreas, spleen and duodenum	1
15	Ear model	1
16	Eye model	1
17	Teeth model	1
18	Male reproductive system	1
19	Cervical vertebrae	2
20	Brain and arteries	1
21	Skin and cross sections	3
22	Urinary system	1
23	Ear model	1
24	Eye model	1
25	Teeth model	1
26	Female reproductive system	1
27	Cervical vertebrae	2
28	Brain and arteries	1
29	Skin and cross sections	3
30	Urinary system	1
31	Male pelvis	1
32	Female pelvis	1
33	Bone of vertebral column	1
34	Tharacic cage bones	1
35	Upper extrimities bone	leach
36	Lower extrimities bone	leach




*(Signature)*

प्राचार्य

परिचर्या विज्ञान संस्था, म.स.स्मृती रुग्णालय  
पिंपरी चिंचवड नव्यानगरपालिका, पिंपरी-१८.

**Community Health Nursing Lab**  
**List of Articles**

Sr. No.	Articles	Quantity
1	Height and weight Scale.	2
2	Steel Tray	4
3	Community bags with fully equiped articles	20
4	Delivery kit	2
5	Bed. with Basic procedure mannequins	1
6	HIV rapid test kit	1
7	Fetoscope	2
8	Heamoglobinometer	2
9	Thermometer ( oral)	6
10	Infantometer	4
11	Charts	6
12	Various Environmental Sanitation Model	5
13	Malaria Life Cycle Model	1
14	Infantometer	1
15	Stethoscope	6
16	Sterilizers	1
17	Digital B.P	2
18	Test tube holder box	2
19	Box with test tubes	1
20	Box with instruments	2
21	Box with otton swabs	1 box
22	Solution bottles of	1 box
23	Bendicts solution	1 box
24	Acetic acid	1 bottle
25	Spirit	6 bottles
26	Spirit lamps	7 bottles
27	Bottles with cotton balls	6 bottles
28	Specimen bottles	12 bottles
29	Stool specimen bottles	6 bottles
30	Soap dish	8
31	Dettol	8 bottles
32	Betadine	2
33	Urostrip bottle	1
34	Funnel (Big)	7
35	Funnel (small)	1
36	Measuring cup	2
37	Stapler with pins	1
38	Pocket diaries	2
39	Steel bowls	5
40	Kidney tray	4
41	Paper clips	4
42	Box with hand towel	6
43	Weighting machine	7
44	Box with bottles	2
45	Box with clean gloves	1 Box
		2



PKK

प्रचार्य  
परिचर्या विज्ञान संस्था, ब.न.स्मृती रुग्णालय  
पिंपरी विंचवड महानगरपालिका, पिंपरी-१८.

**A.V. Aids Lab  
List Articles**


Sr. No.	Articles	Quantity
1	Over-Head-Projector	2
2	LCD Projector	2
3	Lap-top	2
4	T,V	2
5	Slide Projector	1
6	Educational CD's	1
7	Screen	1 From each speciality



*(Signature)*  
प्राचार्य  
परिचर्या विज्ञान संस्था, ब.च.सहृती रुग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८.

**Laboratory of Nutrition**  
**Equipments and articles list**

Sr. No.	Items	Required Quantity
1	Gas stove with cylinder / pipeline tubing	6
2	Gas lighters	6
3	Induction	2
4	Pressure cookers -1kg	6
5	Pressure cookers - 2kg	6
6	Steel cooking vessels - Big	6
7	Steel cooking vessels -Medium	6
8	Steel cooking vessels -Small	6
9	Cutlery set	1
10	Ladles (wooden spoon/spatulas )	12
11	Juice squeezer	1
12	Water reservoir	1
13	Saucepan with handle - medium	3
14	Saucepan with handle - small	3
15	Serving spoon	6
16	Tea spoon	24
17	Table spoon	12
18	Dessert spoon	12
19	Soup spoon	12
20	Rice serving spoon	4
21	Bowls (wati) Large (steel)	12
22	Bowls (wati) medium (steel)	12
23	Bowls (wati) small (steel)	12
24	Soup bowls	36
25	Forks	36
26	Sieve	2
27	Tongs	6
28	Knives	6
29	Peeler	6
30	Vegetable cutters	6
31	Vegetable cutting plate	6
32	Water filter /Aqua quard	1



(Signature)

प्राचार्य

परिचर्या विज्ञान संस्था, य.च.स्मृती रुग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८.

33	Flask	2
34	Frying pans	6
35	Tava	3
36	Non stick Tava	3
37	Vessel holders (Chimta)	6
38	Mixer with accessories	1
39	Glasses for drinking water (steel)	24
40	Glasses for drinking water (glass)	24
41	Kitchen weighing scale	1
42	Chapati making plate & rolling pin	6
43	Measuring scoops	2 sets
44	Napkins	24
45	Aprons	10
46	Dusters (for cleaning)	12
47	Hand towels	12
48	Glass bowls	24
49	Tea strainer	6
50	Egg beater	6
51	Toaster	2
52	Microwave with appropriate cooking vessels	1
53	Dinner set ( 12 ) persons	2
54	Tea set ( 12 ) persons	2
55	Plate - medium (steel)	12
56	Refridgerator	2
57	Tissue paper box	12
58	Hand wash	12
59	bottle brushes	6
60	Dustbin	6
61	Bucket	6
62	Butter Knives	2
63	Chopping board	5
64	Dining Table	1
65	Jug - Small	4

70	Rice strainer	2
71	salt sprinkle	2
72	Steel drum - big	2
73	Steel tray	4
74	Plastic tray	4
75	Cupboard	2
78	Charts	5
79	Vessel stand	5
80	White board	1
81	Oil dispensor	1
82	wooden handle zara (big)	2



*(Signature)*

प्राचार्य

परिचर्या विज्ञान संस्था, य.प्र.स्मृती रूग्णालय  
पिंपरी चिंचवड न्हानगरपालिका, पिंपरी-१८.

# V. MATERNAL & CHILD HEALTH NURSING LABORATORY


S.No.	Items	Quantity
1	Stages of development of embryo model	1 set each
2	Abdominal (Antenatal) palpation manikin with Leopold manoeuvre	1
3	Human fetus replicas	1
4	Child birth (Advanced birthing) simulator with episiotomy repair attachments	1
5	Cervical dilatation model with attachments	1
6	Female pelvis model	1
7	Fetal skull model	2
8	Placenta	2
9	Breast examination model	2
10	Essential new born care & new born resuscitation manikin & kit (Neo Natalie)	1
11	Baby doll/New born baby	2
12	Adult IV arm training kit	2
13	IM injection training manikin	2
14	Female catheterization manikin	2
15	Manikin for simulation and management of PPH (Mama Natalie)	1
16	Adult CPR manikin	1
17	Zoe model with post-partum uterus for IUCD insertion (Gynecological simulator)	1
18	Anteverted and retroverted uterus model	1
19	Hand held uterine model	1
20	Penile model	1

## B. Charts

S.No.	Items	Quantity
1	Pregnancy chart (breast changes and uterus changes)	1
2	Fetal development chart	1
3	EDD calculator chart/wheel	5
4	<b>Stages of Labor</b>	1
5	First stage	1
6	Second stage	1
7	Third stage	2
8	Birth chart	1 each
9	Enlarged partograph (as in SBA guidelines)	1
10	Abnormal presentations (breech/shoulder presentation) 1 each	1
11	Face presentation	1
12	Brow presentation	1
13	Twin pregnancy	1
14	Placenta praevia - different degrees	1
15	Abruption of placenta	1
16	Caput Succedaneum, Cephalhaematoma	1
17	<b>Congenital malformations of new born</b>	1
18	Cleft Lip - Palate	1
19	Spina Bifida	1
20	Hydrocephalus	1
21	Anencephalus	1
22	Government of India SBA Charts 1 set	1 set
23	Anatomy of female reproductive system	1
24	Anatomy of male reproductive system	1
25	Family planning flip book	1

### C. Equipment/Instruments

S.No.	Items	Quantity
		10
1	BP apparatus (digital)	10
2	Stethoscope	10
3	Fetoscope	10
4	Thermometer (digital)	2
5	Measuring tape	1
6	Dictaphone	1
7	Adult weighing scale	2
8	Sahli's Heamoglobinometer	1
9	Glucometer (Plasma)	2
10	Stirrer (Plastic/wooden)	10
11	Kidney tray	1
12	Hub cutter	5
13	Test tube	2
14	Test tube holder	10
15	Steel tray (12"x11") with lid	10
16	Artery forceps	10
17	Straight scissors (8")	10
18	Curved scissor Episiotomy scissors)	10
19	Needle holder	2 each
20	Plain & toothed dissecting forceps	2
21	Cheatele forceps	2
22	Cheatele forceps holder	2
23	NR bag	1
24	Baby weighing machine 1	1
25	Infantometer	1
26	Penguin mucus sucker/ De Lees mucous extractor	2 each
27	Self-inflating resuscitation bag (500 & 250 ml capacity)	2 each
28	Mask (0 and 1 size)	1
29	Oxygen hood	1
30	Salbutamol Metered Dose Inhaler (MDI) with spacer	10
31	Plastic bowl	10
32	Steel bowl with lid (small)	10
33	Plastic containers (closed)	5
34	Plastic basin	5
35	Measuring spoons (different sizes)	1
36	FP counselling kit 1	
37	<b>Contraceptive basket:</b>	10
38	Scissors (plain)	10
39	Kelly's pad	10
40	Sims speculum	10
41	Cuscus speculum	10
42	Long artery forceps	10
43	Mayo's scissors	10
44	Vulsellum/Tenaculum 2	10
45	Uterine sound	10
46	Anterior vaginal wall retractor	10
47	Sponge holder	10
48	PIUCD forceps/Kelly's forceps	2
49	Large plastic tub	



*(Signature)*  
प्राचार्य


परिचर्या विज्ञान संस्था, य.न.स्मृती रुग्णालय  
पिंपरी चिंचवड महानगरपालिका

## D. Consumables

S.No.	Items	Quantity
1	Glucometer strips & lancets	1 pack
2	N/10 HCL (2/5 lt.) 4	4
3	Dropper	10
4	Uristix (100 strips/box)	2
5	Specimen container	10
6	Benedict's solution (100 ml/bottle)	10
7	Acetic acid (100 ml/bottle)	10
8	Match box	20
9	Spirit (100 ml/bottle)	10
10	Adhesive tape (roll)	2
11	Povidone iodine (Betadine) - 100 ml/bottle	2
12	Cord clamp	5
13	PPE	
14	Apron plastic	2
15	Tourniquet	2
16	Foleys and plain catheter	2
17	Uro bag	2

## CHILD HEALTH NURSING LAB INSTRUMENTS LIST

Sr. no.	Equipments	Quantity
	<b>Mannequins/ manikins simulators</b>	
1	Pediatric training manikins	02
2	Infant and child airway management trainer	02
3	Infant injectable head	02
4	Infant auscultation simulator	02
5	NG tube trainer (pediatric)	02
6	Pediatric multi venous training arm kit	02
	<b>CHARTS</b>	
7	Growth and development chart	02
8	Weaning foods chart	02
9	Breast feeding positions	02
10	IMNCI chart (12 posters)	02 sets
11	CPR- infant & child	02
	<b>Assessment and diagnostics</b>	
12	Stethoscope Peadiatric	15




*(Signature)*

प्राचार्य

परिचर्या विज्ञान संस्था, य.च.स्मृती रुग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१६.

13	Blood pressure apparatus with pediatric B.P. cuff	15
14	Thermometers Oral, rectal, and bath thermometers	10
15	Pulse oximeter.	10
16	Infantometer and stadiometer:	05
17	Infant and child weighing machine:	02
18	Measuring cups	05
19	Measuring spoons	05
20	Feeding bowl and spoon	10
21	Feeding cups	10
22	Breast pump	01
	Medication and IV administration	
23	Syringes and needles: (1 mL, 2 mL, 5 mL, 10 mL, 20mL, 50 mL), BCG syringe	Each 10
24	IV cannulas and iv set	05
25	Vein finder	04
26	Nebulizer with pediatric mask	05
27	Metered-dose inhaler with spacer	05

	<b>Respiratory and resuscitation</b>	
28	Ambu bag: newborn (250ml) pediatric(500ml)	1 1
29	Oxygen hood	04
	<b>General and support</b>	
30	Feeding tubes (size 5&6)	Each 05
31	Umbilical cord clamp.	05
32	Mucus sucker	05
43	Plastic basins for baby bath (soap with dish, combing brush)	05
	<b>Furniture</b>	
	<b>Linen</b>	
44	Baby mackintosh	05
45	Draw sheets	02
46	blankets	02
47	Towels	10
48	Dress for children ( 0 size,)	02 set
49	Measuring Tape	10
50	Steel tray big size	10



*(Signature)*

प्राचार्य  
परिचर्या विज्ञान संस्था, य.न.स्वामी रुग्णालय  
पिंपरी चिंचवड महानगरपालिका, पिंपरी-१८.

51	Steel Bowel	10
52	Torch	05
53	Tuning fork	05
54	Pead foleys catheter	02
55	Kidney tray Small	10
56	Injection tray Small	05
57	Skin fold thickness measuring capicepen	02
58	Steam inhelar	05
59	Pead Larynscope Blade With bettry	01
60	Tong depressa	01
61	Artey forcep ( Toothed /Non Thoothed)	01
62	Muat tap	10

## Nursing foundation lab

Sr. No.	Articles	Quantity
	<b>Measuring Cups</b>	
1	125 ml	20
2	200 ml	20
3	250 ml	20
4	500 ml	20
5	1000 ml	20
	<b>Plastic bottles :</b>	
6	Big	20
7	Small	20
8	Measuring Cups 50ml	20
9	Plastic mugs	20
10	Hot water bag	20
11	Ice cap	10
12	Air cushion	10
13	Lactometer	2
14	Bath thermometer	5
15	Shaving Kit	1
16	Comb	7
17	Toothpaste	1
18	Toothbrush	2
19	Powder ( Candid dusting powder)	10
20	Nail brush	5
21	Oil (Hair)	2
	<b>Test tube stand :</b>	
22	Big	1
23	Small	3
	<b>S.S. tray containing:</b>	
24	Nelson's inhaler	2
25	Mortor & Pestil	4
26	Feeding cup	20
27	Conical flaks	6
28	WOLF'S bottle	2
29	Vacutainer and test tube	1 box
30	Box with thermometer(Clinical)	6
31	Funnel : Big	4
32	Small	4
33	Tuning fork	15
34	Knee hammer	15
35	Measuring Tape	15
	<b>Enema car</b>	2
36	with tubings	2
37	without tubings	2
38	Flatus tube	4

*R. Kelkar*

प्राचार्य

परिचर्या विज्ञान संस्था, ब.व.स्मृती रुग्णालय  
विंपरी चिंचवड महानगरपालिका, गिःसी-१८.

<b>Foleys' catheters :</b>		
39	Double lumen	7
40	Triple lumen	1
41	Silicon catheter (Double)	2
42	Condom catheter	5
43	Box of Enema	1
44	Abdominal binder	2
45	Roller Bandages	2
<b>Chest bandages</b>		
46	10 cm	10
47	12 cm	10
48	15 cm	10
<b>Thigh bandages</b>		
49	6 cm	10
50	8 cm	10
51	Triangular bandages	10
52	Donuts	10
53	Head rings	10
54	T Bandages	10
55	Stethoscopes	25
56	Sphygmomanometer	10
57	Glucometer	5
58	Head mirror	2
59	Otoscope	2
60	Ear irrigation Syringe	2
61	Asepto syringe	2
62	Irrigation cans	2
63	Torch (Small)	10
64	Torch (Big)	10
65	Candid Ear drops	1
66	Eye Shields	6
67	Eye wash cups	4
68	Biopsy needles	1 box
69	Proctoscope	2 box
70	AMBU with reservoir and mask	4
<b>Airway:</b>		
71	Oral	10
72	Pharyngeal	10
73	pressure bag	1
74	tray with emergency equipment	1
75	water seal drainage	3

79	Bio hazard container	1
80	Kidney tray (big)	20
81	Kidney tray (small)	20
82	Sputum cups	
	Bowl sterile(wati)	20
82	Big	20
83	Medium	20
84	Small	6
85	Spirit lamps	25
86	Procedure trays with lids S.S.	
	Basins	6
87	Bed pan (plastic)	3
88	Urinals (plastic)	1
89	Urinals (steels)	4
90	tray (big) S.S	4
91	tray (small) S.S.	4
92	Steel containers (big)	4
93	Steel containers (small)	4
94	Drums (small)	2
95	drums (big)	15
96	BP apparatus	2
97	Weighing machine	10 meters roll
98	Mackintosh	15
99	Pillow covers	15
100	Draw sheets	10
101	Towels	20
102	Soft towels	15
103	Big towels	20
104	White sheets	10
105	Blankets	20
106	OT Gown (green)	7
107	Blue sheets	13
108	Green sheets	7
109	green sheets (small) for tray	5
110	Fenestrated towel blue	8 pair
111	Manikin clothes	4
112	Backrest cover	2
113	Screens	2 pair
114	Leggings	6
115	Hot water bag cover (big)	10
116	Hot water bag cover (small)	6
117	Air cushion	6
118	cap cover	1 box
119	Mask	1
120	Plastic gown	3
121	Pillows	



*(Signature)*

प्राचार्य

परिचर्या विभाग संस्था, य.द.स्मृती रुग्णालय  
मिपरी-१८ महानगरपालिका, मिपरी-१८.

	<b>Brown box 2 with</b>	
122	IV infusion training kit (big)	4
123	IV infusion training kit (small)	7
124	Deltoid module	5
125	IV module (big)	3
126	IV MOdule (small)	3
	<b>Box with</b>	
127	Skill guide with monitor	1
128	Full size arm for IV transfusion	4
129	<b>Airway- ET</b>	4
130	Kidney tray	15
131	Injection deep tray	10
132	Artey Forcep	10
133	Scissor	10
134	Needle Holder	10
135	Sponge Foreep	10
136	Tissue force	10